

IKON Federbeine 2024/2025

	Modell	Bj.	7610- (MIT einstellbarer Zugstufe)			36 / 3610 oder 76 / 7610	7610- xxxxSP8	7610- xxxxSP14	7610- xxxxSP15	7610- xxxxSP1 6	7610- xxxxSP17	76- Serie	3214/761 3/7614	Anmerkungen
			Universal Option: Dämpfer + Feder	Alternative Feder für leichte Fahrer (70kg -) oder nur Solobetrieb	Alternative Feder für schwere Fahrer (100kg +) oder generell größere Zuladung		Chrom Körper, Chrom Feder, Chromkappe	Schwarzer Körper, schwarze Feder	Chrom Körper, Chrom Feder, Chromkappe oben und unten	Schwarzer Körper, schwarze Feder, schwarze Kappe	Chrom Körper, schwarze Feder, Chromkappe	Ikon Basix - (OHNE Zugstufen- Einstellung)		
AJS	Jam pot conversion shock	45-66				76-1706								fits into original shock absorber housing using original spring and cover hardware
Aprilia	Atlantic 500	02-06												
Aprilia	Pegaso 650					3610-1055								
Aprilia	Scarabeo 150, 200, 250	02-06											7613-1003	single shock models without under seat storage.
Aprilia	Scarabeo 200	09-10												
Aprilia	Sport City Cube 300	10				7610-1662								
Aprilia	Scarabeo 500	07-11				7610-1629								
Aprilia	ETV 1000 Capanord					3610-1090								
Benelli	250 2C	73-86				7610-1330						76-3008		
Benelli	250 Quattro and 254	78-84	7610-1250SP1 + 235- 15/21/26	235-11/16/22	235-18/25/33	7610-1250SP4						76-3000		
Benelli	350 and 354	79-85	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		
Benelli	350 Quattro	79-85	7610-1250SP1 + 235- 15/21/26	235-11/16/22	235-18/25/33	7610-1250SP4						76-3000		
Benelli	350 RS	78-81	7610-1250SP1 + 235- 15/21/26	235-11/16/22	235-18/25/33	7610-1250SP4						76-3000		
Benelli	500 Quattro	73-77	7610-1250SP1 + 235- 15/21/26	235-11/16/22	235-18/25/33	7610-1250SP4						76-3000		
Benelli	500 LS	80-82	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		
Benelli	504	80-83		235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		
Benelli	650 Quattro	77-79	7610-1250SP1 + 235- 18/25/33	235-15/21/26	235-22/30/39	7610-1250SP5						76-3001		
Benelli	650 Tornado S	72-76	7610-1250SP1 + 235- 18/25/33	235-15/21/26	235-22/30/39	7610-1250SP5						76-3001		
Benelli	654 / Sport	80-85	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		
Benelli	654T	85-86	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		
Benelli	750 Sei	74-79	7610-1250SP1 + 235- 18/25/33	235-15/21/26	235-22/30/39	7610-1250SP5						76-3001		
Benelli	900 Sei	78-89	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418						76-3013		

BMW	R100GS / Paris Dakar (93-96)	88-96				3610-1022							
BMW	R100 / CS / RS / RT / S / 7	77-84				7610-1298					76-3005		
BMW	R100 / R100RS	87-96				3610-1020							408mm long mono shock
BMW	R100 / R100RT / Classic	87-95				3610-1020							408mm long mono shock
BMW	R100R	91-96				3610-1021							
BMW	R850GS rear	00-01				3610-1080							
BMW	R850R front - 325mm long	95-01										3214-1001	
BMW	R850R rear	95-01				3610-1016							
BMW	R1100GS front - 325mm long	94-00										3214-1001	
BMW	R1100GS rear	94-00				3610-1080							
BMW	R1100R, RS, RT front	93-02										3214-1001	
BMW	R1100R, RS, RT rear	93-02				3610-1016							
BMW	R1100RT rear	06				3610-1016							
BMW	R1100S front - 325mm long											3214-1001	
BMW	R1100S rear	98-05				3610-1044							
BMW	R1150GS front	99-05										3214-1012	
BMW	R1150GS rear	99-05				3610-1045							
BMW	R1150GSA front	02-05										3214-1011	
BMW	R1150R front - 325mm long	01-										3214-1001	
BMW	R1150RT front - 330mm long	01-											
BMW	R1150RT rear	01-05				3610-1042							
BMW	R1200C front											3214-1002	
BMW	R1200C rear	97-02				3610-1032							
BMW	R1200GS front	04-11										3214-1010	
BMW	R1200GSA front	06-13										3214-1013	
BMW	R1200RT front	05-										3214-1001	
BSA	Rocket 3 750	70-71				7610-1283+ spring ordered separately 250-19/29/42 (222)							conventional use, for solo use see*
BSA	*for solo use only on this model use:	70-71				7610-1283+ spring ordered separately 250-15/21/28 (215)							
BSA	A65 various including Lightning	70-71	7610-1282 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1282SP6					76-3002		13" shock models
BSA	A65 various including Lightning	72	7610-1250SP1 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1250SP5					76-3001		12.5" shock models
BSA	B44 Shooting Star and Victor	65-70	7610-1282 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1282SP6					76-3002		conventional use, for solo use see*
BSA	B44 Shooting Star and Victor	65-70	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10					76-3003		has lighter spring than the SP6
BSA	B40 - 13" shocks		7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10					76-3003		CHANGE BOTTOM BUSH TO CODE 180
BSA	B25SS, B25R Gold Star, B25T Victor	70-72	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10					76-3003		
BSA	B50SS, B50R Gold Star, B50T Victor	70-72	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10					76-3003		

BSA	650 Gold Star	22												
Buell	M2 Cyclone	All				3610-1071								
Cagiva	350 Ala Verde	85-87				7610-1419								
Cagiva	650 Ala Zurra	87-88				7610-1419								
Can Am	Spyder and Spyder RS (front)	08-12				7613-1005						7613-1005		
Can Am	Spyder and Spyder RS (rear)	08-12				3610-1014								
Can Am	Spyder RT, RT Limited & RT-S (front)	10-12												
Can Am	Spyder RT, RT Limited & RT-S (rear)	10-12				3610-1084								
Can Am	Spyder (rear) RT	13-21				3610-1084								
Can Am	Spyder (front) RT Limited and other RT family models	14-19				7613-1006						7613-1006		
Can Am	Spyder F3 (front)	16				7613-1007								
Can Am	Spyder F3 (rear)	16				3610-1108								
Ducati	250/350/450 Mk3 and Desmo and Scrambler	upto-76				7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		76-3008	3214-1330	
Ducati	Scrambler Sixty2 400cc	16				3610-1098								
Ducati	500LD/SL Pantah	78-85				7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		76-3008	3214-1330	
Ducati	500 Desmo Sport	83				7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		76-3008	3214-1330	
Ducati	600TL/SL Pantah	81-85				7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		76-3008	3214-1330	
Ducati	650SL Pantah	85-86				7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		76-3008	3214-1330	
Ducati	696 Monster	08-12				3610-1057								
Ducati	750GT / Sport	72-75				7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		76-3008	3214-1330	Some earlier listings have shown 7610-1418.
Ducati	750 / Super Sport	72-76	7610-1250SP1 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1250SP5						76-3001	3214-1250SP5	
Ducati	750 Super Sport	97				3610-1067								
Ducati	750 Indiana	89-90				7610-1397						76-3011		
Ducati	Scrambler 800cc	14-16				3610-1098								
Ducati	860 GT/ GTS	75-79	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		76-3013	3214-1418	
Ducati	900 GTS	75-79	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		76-3013	3214-1418	
Ducati	900SD Darmah	78-85	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		76-3013	3214-1418	
Ducati	900SD/SS Darmah	75-77	7610-1250SP1 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1250SP5						76-3001		Some riders may prefer the shorter 7610-1330 on this model.
Ducati	900SS	78-82	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		76-3013	3214-1418	
Ducati	900 Replica	79-84	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		76-3013	3214-1418	
Ducati	900S2 Desmo	83-85	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		76-3013	3214-1418	
Ducati	900 S (Sport)	88-89				3610-1079								
Ducati	1000S2 Desmo	83-85	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		76-3013		

Harley Davidson	FXST Standard height - 321mm long shock	20-21				3610-1114								
Harley Davidson	Softail super low shock - 300mm long shock - Japan	18-20				3610-1106								
Harley Davidson	Sportsters													
Harley Davidson	All Sportsters, eg KH, KH K900	52-72				76-1336								Old number 76-1336
Harley Davidson	All Sportsters, eg XLCR, XLH1000, XLS1000 Roadster	77-87				7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17	76-3023		
Harley Davidson	XL, XLH, XLCH 1000	57-78				76-1336								Old number 76-1336
Harley Davidson	XLH 883 Sportster	84-87				7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17	76-3023		
Harley Davidson	XLH 883 Sportster / Sportster Deluxe	88-93				7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17	76-3024		approx. standard height
Harley Davidson	XLH 883 Sportster / Sportster Deluxe	88-93				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		12" shock lowers bike approx. 40mm
Harley Davidson	XLH 883 Sportster/ Sportster Deluxe-Extra heavy duty	88-93				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		12" shock lowers bike approx. 40mm for riders or loads above 95kg
Harley Davidson	XLH 883 Sportster / Sportster Deluxe = 13" shock	94-05				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027	7614-1528	approx. standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
Harley Davidson	XLH 883 Sportster / Sportster Deluxe= 13" shock	94-05				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	
Harley Davidson	XLH 883 Sportster / Sportster Deluxe = 12" shock	94-05				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		12" shock lowers bike approx. 40mm
Harley Davidson	XLH 883 Sportster / Sportster Deluxe-Extra heavy duty = 12" shock	94-05				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		12" shock lowers bike approx. 40mm for riders or loads above 95kg
Harley Davidson	XL 883, XL 883R Sportster	04-09				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
Harley Davidson	XL 883, XL 883R Sportster-Extra heavy duty	04-09				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	
Harley Davidson	XL50, 1200 Anniversary Sportster	07				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		approx. standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
Harley Davidson	XL50, 1200 Anniversary Sportster-Extra heavy duty	07				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	
Harley Davidson	XL50, 1200 Anniversary Sportster	07				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		12" shock lowers bike approx. 40mm
Harley Davidson	XL50, 1200 Anniversary Sportster-Extra heavy duty	07				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		12" shock lowers bike approx. 40mm for riders or loads above 95kg
Harley Davidson	XL53C Sportster Custom	99-03				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		12" shock lowers bike approx. 40mm
Harley Davidson	XL53C Sportster Custom-Extra heavy duty	99-03				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		12" shock lowers bike approx. 40mm for riders or loads above 95kg

Harley Davidson	XLH883C Sportster Custom	99-03				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		12" shock lowers bike approx. 40mm
Harley Davidson	XLH883C Sportster Custom-Extra heavy duty	99-03				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		12" shock lowers bike approx. 40mm for riders or loads above 95kg
Harley Davidson	XL883C Sportster Custom	04-10				7610-1622	76101-622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3039		
Harley Davidson	XLH883 Sportster Hugger	88-91				7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17	76-3023		
Harley Davidson	XLH883 Sportster Hugger	92-03				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		12" shock lowers bike approx. 40mm
Harley Davidson	XLH883 Sportster Hugger	92-03				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		12" shock lowers bike approx. 40mm for riders or loads above 95kg
Harley Davidson	XL883R Sportster "Flat-Track"	02-03				tdb								
Harley Davidson	XL883 C&L	07-11				7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3039		Standard units 292mm. The Ikon unit 295mm and may lif tthe rear fractionally.
Harley Davidson	XL883L Super Low (oe seat heiight approx 695mm)	12-20				7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3039		
Harley Davidson	XL883N Iron (USA) - 11.5" shocks	10-14				7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3039		295mm
Harley Davidson	XL883N Iron (USA) - 11.0" shocks	15-21				7610-1649	7610-1649SP8	7610-1649SP14		7610-1649SP16	7610-1649SP17			
Harley Davidson	XL883N Iron (Australia-Europe) (oe seat height approx 735mm) - 13.0" shocks	10-14				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		330mm
Harley Davidson	Iron 883 - 13.0" shocks	19				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		330mm
Harley Davidson	XL883R	06-15				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		
Harley Davidson	XLH1200 Sportster	88-93				7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17	76-3024		approx.standard height
Harley Davidson	XLH1200 Sportster	88-93				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		12"shock lowers bike approx.40mm
Harley Davidson	XLH1200 Sportster	88-93				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	XLH1200 Sportster	94-03				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
Harley Davidson	XLH1200 Sportster	94-03				7610-1601	7610-1601SP8	76101601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	
Harley Davidson	XLH1200 Sportster	94-03				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		12" shock lowers bike approx. 25mm
Harley Davidson	XLH1200 Sportster	94-03				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	XL1200S Sportster Sport	96-03				7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17	76-3024		standard height
Harley Davidson	XL1200S Sportster Sport	96-03				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		lowers bike approx. 40mm
Harley Davidson	XL1200C Sportster Custom	96-03				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		7610-1617SP8 has a stronger spring fitted
Harley Davidson	XL1200C Sportster Custom	96-03				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		Stronger springs fitted for heavier duty application such as loads above 95kg.

Harley Davidson	XL1200C Sportster Custom (oe seat height 710mm)	04-20				7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3039		Standard units 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XL1200C CA and CB Sportster Custom	13-20				7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3039		Standard units 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XL1200C ANV, Anniverary	13				7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3039		Standard units 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XL1200 CX - Roadster	16-20				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		Standard units 343mm. The Ikon listed here is 330mm
Harley Davidson	XL1200 L	07-11				7610-1649	7610-1649SP8	7610-1649SP14		7610-1649SP16	7610-1649SP17	76-3039		Standard units 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XL1200N Nightster	07-12*				7610-1649	7610-1649SP8	7610-1649SP14		7610-1649SP16	7610-1649SP17			*2009-2012 models in Australia have a 13.25" (335mm) shock as original. For those models can use 7610-1528 or any other of the common Harley units such as 7610-1513, 7610-1539 or their heavier duty equivalents.
Harley Davidson	XL1200NS Iron	'18-21				7610-1649	7610-1649SP8	7610-1649SP14		7610-1649SP16	7610-1649SP17			
Harley Davidson	XL1200R Sportster Roadster	04-08				7610-1528	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3027	7614-1601	approx. standard height. 7610-1601/SP8 is for heavier duty applications .eg. regular loads above 95kg.
Harley Davidson	XL1200R Sportster Roadster	04-08				7610-1601	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3035	7614-1622	
Harley Davidson	XL1200T Sportster Super Low	14-20				7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3039	7614-1622	Standard units 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XL1200 V Seventy-Two (oe seat height approx 710mm)	12-16				7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17	76-3039	7614-1622	Standard units 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XL1200X 4T8 Forty-Eight (oe seat height approx 710mm) - 12.0" shock	12-20				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031	7614-1539	MODELS AS SOLD WITH 12" SHOCKS FITTED (eg Australia), 7610-1617/SP8/SP14 are for heavier loads comonly above 95kg.
Harley Davidson	XL1200X 4T8 Forty-Eight (oe seat height approx 710mm) - 12.0" shock	12-20				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038	7614-1617	
Harley Davidson	XL1200X 4T8 Forty-Eight - 11.0" shock	12-21				7610-1649	7610-1649SP8	7610-1649SP14		7610-1649SP16	7610-1649SP17		7614-1649	MODELS AS SOLD WITH 11" SHOCKS FITTED (eg USA)
Harley Davidson	Iron 1200	14-19				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		7614-1617	
Harley Davidson	XR1000	83-84				7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17	76-3023	7614-1513	
Harley Davidson	XR1200	08-10				7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17	76-3024	7614-1517	
Harley Davidson	Dyna													
Harley Davidson	FLD Switchback (oe seat height approx 695mm)	12-16				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		
Harley Davidson	FXD 35	06-08				7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17	76-3045		standard height

Harley Davidson	FXD 35 - Lowered	06-08				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		lowers bikes approx. 25mm
Harley Davidson	FXD/I 1340, 1450 & 1584 Dyna Super Glide	95-09				7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17	76-3045		standard height
Harley Davidson	FXD/I 1340, 1450 & 1584 Dyna Super Glide - Lowered	95-09				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		lowers bikes approx. 25mm
Harley Davidson	FXDB1340 Dyna Glide Daytona	92-95				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		
Harley Davidson	FXDB/I1450 & 1584 Dyna Street Bob (oe seat height approx 680mm)	06-17				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		
Harley Davidson	FXDC1340 Dyna Custom	91-92				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		
Harley Davidson	FXDC/CI inc Dyna Super Glide Custom	95-09				7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17	76-3045		standard height
Harley Davidson	FXDC/CI inc Dyna Super Glide Custom	95-09				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		lowers bikes approx. 25mm
Harley Davidson	FXDC inc Dyna Super Glide Custom & Anniversary edition (oe seat approx height 710mm)	11-14				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		
Harley Davidson	FXDF Dyna Fat Bob (oe seat height approx 690mm)	06-17				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		
Harley Davidson	FXDL/I 1340 & 1450 Dyna Low Rider	93-00				7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17	76-3045		standard height
Harley Davidson	FXDL/I 1340 & 1450 Dyna Low Rider	93-00				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		lowers bikes approx. 25mm
Harley Davidson	FXDL/I 1450 & 1584 Dyna Low Rider	01-09				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		Harley model references end this model in 2009. Some parts suppliers continue to reference it through to 2012
Harley Davidson	FXDL	14-17				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		Model re-introduced in May 2014
Harley Davidson	FXDS/C 1340 & 1450 Dyna Convertible	94-00				7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17	76-3045		lowers bikes approx. 10mm
Harley Davidson	FXDS/C 1340 & 1450 Dyna Convertible - Lowered	94-00				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		lowers bikes approx. 35mm
Harley Davidson	FXDWG/I 1340, 1450 & 1584 Dyna Wide Glide	93-08				7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17	76-3045		standard height
Harley Davidson	FXDWG/I 1340, 1450 & 1584 Dyna Wide Glide - Lowered	93-08				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		lowersbikeapprox.25mm
Harley Davidson	FXDWG Dyna Wide Glide (oe seat height approx 680mm)	10-17				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		Available from late 2009 this model has 49mm forks and lowered front and rear suspension as standard
Harley Davidson	FXDX 1450 Dyna Super Glide Sport	1999				7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17	76-3045		lowers bike approx.10mm
Harley Davidson	FXDX1450 Dyna Super Glide Sport	1999				7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17	76-3030		lowers bike approx. 35mm
Harley Davidson	FXDX/I1450 Dyna Super Glide Sport	00-05				7610-1639	7610-1639SP8	7610-1639SP14		76101639SP16	76101639SP17			13" (330mm unit)
Harley Davidson	FXDXT1450 Dyna Super Glide T-Sport	01-05				7610-1639	7610-1639SP8	7610-1639SP14		76101639SP16	76101639SP17			13" (330mm unit)

Harley Davidson	All DYNA models 11" extra short shocks	92-17				7610-1618	7610-1618SP8	7610-1618SP14	7610-1618SP15	7610-1618SP16	7610-1618SP17			Fitting 11" units may require the reshaping of the rear guard to avoid damage from and of the brake caliper.
Harley Davidson	All DYNA models 11.5" extra short shocks	92-17				7610-1632	7610-1632SP8	7610-1632SP14		7610-1632SP16	7610-1632SP17			Fitting 11.5" units may require the reshaping of the rear guard to avoid damage from and of the brake caliper.
Harley Davidson	Electra Glides / Road Glides / Street Glides / Low Riders... "Baggers" - Road Kings													
Harley Davidson	FL/FLH/FXE 1200 (Shovel Head)	73-79				76-1402								use original spring
Harley Davidson	FXB / FXE / FXEF / FXS / FXWG	80-83				76-1402								use original spring
Harley Davidson	FLH 1340 Electra Glide (Shovel Head)	74-84				76-1402								use original spring
Harley Davidson	FLH 1340 Electra Glide Classic (Shovel Head)	80-84				76-1402								use original spring
Harley Davidson	FLHFB - Highway King - 12" Standard length	23-				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLHP - Police spec Road King	17-21				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	
Harley Davidson	FLHTP - Police spec Electra Glide	17-21				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	
Harley Davidson	FLHT Electra Glide Standard	20-21				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLHR/I, FLHRCI, FLHCI - Ikon preferred shock for this bike = 12.5" shock, (Road King, Road King Classic)	94-21				7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17	76-3029		11mm shorter than OE, but heavier spring
Harley Davidson	FLHR/I, FLHRCI, FLHCI - for lighter loads = 13" shock, (Road King, Road King Classic)	94-21				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		
Harley Davidson	FLHR/I, FLHRCI, FLHCI - normal heavy duty = 13" shock, (Road King, Road King Classic)	94-21				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	For loads regularly over 100kg change spring to 235-26/34/43(CH)
Harley Davidson	FLHRS/I Road King Custom, (light loads option)	94-20				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		
Harley Davidson	FLHRS/I Road King Custom, (normal loads)	94-20				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLHRXS Road King Special	17-21				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLHS 1340 Electra Glide Sport-Ikon preferred shock for this bike	85-93				7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17	76-3029		11mm shorter than OE, but heavier spring
Harley Davidson	FLHS 1340 Electra Glide Sport - option for lighter loads	85-93				7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17	76-3023		length as - 1531SP8, softer spring than it
Harley Davidson	FLHS 1340 Electra Glide Sport - option for lighter loads	85-93				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		

Harley Davidson	FLHS 1340 Electra Glide Sport - normal heavy duty option	85-93				7610-1601	7610-1601SP8	76101601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	For loads regularly over 100kg change spring to 235-26/34/43(CH)
Harley Davidson	FLHT/I, FLHTC/I, FLHTCU/I - Ikon preferred shock for this bike = 12.5" shock, (Electra Glide Standard, Classic, Ultra Classic) (oe seat height approx 740mm)	80-14				7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17	76-3029		11mm shorter than OE, but heavier spring
Harley Davidson	FLHT/I, FLHTC/I, FLHTCU/I - Ikon shock for this bike similar to original length = 13" shock for lighter loads	80-14				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		
Harley Davidson	FLHT/I, FLHTC/I, FLHTCU/I - normal heavy duty=13" shock	80-14				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	For loads regularly over 100kg change spring to 235-26/34/43(CH)
Harley Davidson	FLHT Electra Glide Standard	20-21				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLHTCU Electra Glide Ultra Classic	14-19				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	
Harley Davidson	FLHTCUL Electra Glide Ultra Classic Low	14				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLHTK Electra Glide Ultra Classic & Ultra Limited 103/107 cubic inch (1690/1746cc) twin cam engine (oe seat height approx 740mm)	10-21				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	For loads regularly over 100kg change spring to 235-26/34/43(CH)
Harley Davidson	FLHTKSE CVO Limited	16-21				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	
Harley Davidson	FLHX Street Glide (light loads option)	06-21				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		
Harley Davidson	FLHX Street Glide (normal loads)	06-21				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLHXS Street Glide Special (light loads option)	06-21				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		
Harley Davidson	FLHXS Street Glide Special (normal loads)	06-21				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLHXSE Street Glide CVO model	06-21				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLT all models	80-12				7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17	76-3029		11mm shorter than OE, but heavier spring
Harley Davidson	FLTKL Ultra Limited Low	15-19				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLTRK Road Glide Limited	20-21				7610-1601	7610-1601SP8	76101601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	For loads regularly over 100kg change spring to 235-26/34/43(CH)
Harley Davidson	FLTRU Road Glide Ultra	15-19				7610-1601	7610-1601SP8	76101601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	For loads regularly over 100kg change spring to 235-26/34/43(CH)
Harley Davidson	FLTRUSE Road Glide Ultra CVO models	15-19				7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17	76-3029		
Harley Davidson	FLTRX Road Glide Custom (oe seat height approx 715mm)	10-22				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		1 "Lowered suspension standard on this model

Harley Davidson	FLTRXS Road Glide Special	15-23				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FLTRXST Road Glide Special ST	22-23				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	Standard length for the ST model
Harley Davidson	FLTRXSE Road Glide CVO models	17-22				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FXB1340 Sturgis - (ShovelHead)	80-82				76-1402								use original spring
Harley Davidson	FXE1340 Fat Bob / Super Glide (Shovel Head)	80-84				76-1402								use original spring
Harley Davidson	FXLR1340 Low Rider Custom	87-94				7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17	76-3024		Longer than original shock.
Harley Davidson	FXLR1340 Low Rider Custom = 13" shock - for normal loads	87-94				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		
Harley Davidson	FXLR1340 Low Rider Custom = 13" shock - for heavier loads	87-94				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	
Harley Davidson	FXLR1340 Low Rider Custom - approx 40mm Lowering	87-94				7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17	76-3031		lowers bike app. 40mm compared to 7610-1517SP8 and approx 25mm compared to 7610-1528SP8
Harley Davidson	FXR / FXRD / FXLR / FXRS	82-86				7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17	76-3023		
Harley Davidson	FXR 1340 Super Glide - Ikon preferred shock for this bike	87-94				7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17	76-3029		11mm shorter than OE, but heavier spring
Harley Davidson	FXR 1340 Super Glide	87-94				7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17	76-3023		length as - 1531SP8, softer spring than it
Harley Davidson	FXR1340 Super Glide	87-94				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
Harley Davidson	FXR 1340 Super Glide	87-94				7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
Harley Davidson	FXR 1340 Super Glide	87-94				7610-1521	7610-1521SP8	7610-1521SP14		7610-1521SP16	7610-1521SP17			50mm shorter than OE, spring as above
Harley Davidson	FXR 2 = 12.0" shock	99				7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17	76-3038		
Harley Davidson	FXRS 1340 Low Rider - Ikon preferred shock for this bike	87-94				7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17	76-3029		11mm shorter than OE, but heavier spring
Harley Davidson	FXRS 1340 Low Rider = 12.5" shock	87-94				7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17	76-3023		length as - 1531SP8, softer spring than it
Harley Davidson	FXRS 1340 Low Rider = 13.0" shock	87-94				7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	76-3027		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.

Harley Davidson	VRSA 1130	02-05					7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	It is possible to lower the V-rod using 7610-1617(SP8). Lowering by more than this may require alterations to other parts on the bike.
Harley Davidson	VRSB, VRSC, VRSCAW 1130, VRSCD (Night Rod), VRSCX	04-10					7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	76-3035	7614-1601	It is possible to lower the V-rod using 7610-1617(SP8). Lowering by more than this may require alterations to other parts on the bike.
Harley Davidson	VRSCDX Night Rod Special (oe seat height approx 675mm)	07-16					7610-1645	7610-1645SP8	7610-1645SP14						
Harley Davidson	VRSCR	06-07					7610-1620	7610-1620SP8	7610-1620SP14						
Harley Davidson	VRSCF Night Rod Muscle (oe seat height approx 705mm)	09-16					7610-1675	7610-1675SP8	7610-1675SP14		7610-1675SP16	7610-1675SP17			
Harley Davidson															
Harley Davidson	Street														
Harley Davidson	XG 500	15-20	7610-1902	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14						
Harley Davidson	XG 750	15-20	7610-1902	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14						
Harley Davidson	XG 750A Street Rod	17-20	7610-1909	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1523 + 4 x 70 52 11 508 0 sleeves		7610-1523SP14 + 4 x 70 52 11 508 0 sleeves		7610-1523SP16 + 4 x 70 52 11 508 0 sleeves	7610-1523SP17 + 4 x 70 52 11 508 0 sleeves		7614-1523 + 4 x 70 52 11 508 0 sleeves	
Harley Davidson	Tri Glide - Trike														
Harley Davidson	FLHTCUTG - Tri Glide Ultra and Ultra Classic - 341mm shocks heavy duty	15-22							7610-1691SP14						
Harley Davidson	FLHTCUTG - Tri Glide Ultra and Ultra Classic - 345mm shocks (OEM is a little shorter)	15-22					7610-1318								Can also use 7610-1601 at 330mm and 235-26/34/43 springs for heavier loads.
Harley Davidson	FLRT - Freewheeler - 341mm heavy duty	15-22							7610-1691SP14						
Harley Davidson	FLRT - Freewheeler - 345mm shocks (OEM is a little shorter)	15-22					7610-1318								Can also use 7610-1601 at 330mm and 235-26/34/43 springs for heavier loads.
Harley Davidson	FLRT - Road Glide 3	23							7610-1691SP14						Original shock 13.5". 7610-1691SP14 is 13.4"
Harley Davidson	Springer front suspension														
Harley Davidson	Various models with 234mm long shock fully open.						76-1702								
Honda	CR 80 R	80-81	7610-1250SP1 + 235-15/21/26		235-11/16/22	235-18/25/33	7610-1250SP4						76-3000		
Honda	XR 80	79-81	7610-1250SP1 + 235-15/21/26		235-11/16/22	235-18/25/33	7610-1250SP4						76-3000		
Honda	CT 110	?					76-1461								
Honda	CA 125 Rebel	95-98					7610-1530	7610-1530SP8							

Honda	CB 125 N / S	76-80				7610-1419								
Honda	CB 125 T	78-86				7610-1419								
Honda	CG 125	80-84				7610-1419								
Honda	CM 125 / C	80-86				7610-1419								
Honda	CT125	81				7610-1905 + spring 220-15/21/26								365mm open 10mm x 20mm top & bottom. Check fitting clearances.
Honda	SH150	03-12				7610-1613						76-4008		
Honda	SH150 (w/- ABS)	2013-										76-4010		
Honda	CA & CB 175					7610-1689						76-4011		
Honda	XL185S	'78-82				76-1707							3214-2015	
Honda	CB200	75				7610-1689						76-4011		
Honda	CM 200T	81-86				7610-1419								
Honda	CT 200	?				76-1462 7610-1422*						76-3014		*plus 3 sleeves70-52-11-367-0 (per pair)
Honda	CTX 200 Agbike - Monoshock													
Honda	TA Shadow (200cc)	02-04				tbd								
Honda	XR200	95-00				3610-1120								
Honda	XL 230	02-				tbd								
Honda	CA 250 Rebel	94-01				tbd								
Honda	CB250, CJ250	66-76				7610-1302	7610-1302SP8	7610-1302SP14		7610- 1302SP16		76-4002		
Honda	CB250T	77-79				76-1408								
Honda	CB250N	79-85				76-1408								
Honda	CB250 Two Fifty	92-05				76-1472								
Honda	CB250RS	83				76-1472								
Honda	CBX250RS, GB250 Clubman	85-98				7610-1429SP1						76-3017		
Honda	CD250U	88-93				7610-1429SP1						76-3017		
Honda	CM250C	82-86				7610-1419								
Honda	CMX250 Rebel	96-04				7610-1530	7610-1530SP8							
Honda	SH250 Scooter					7610-1613								
Honda	V25 Custom	94-00				tbd								
Honda	VT250 (Custom/Cruiser)	94-02				7610-1646	7610-1646SP8					76-3062		
Honda	XL250S	'78-82				76-1707							3214-2015	
Honda	XL250S Degree	95				3610-1054								
Honda	XR-250	79-80											3214-2012	
Honda	SH300i Scooter	2007				7610-1640								
Honda	CB77, 305cc	64 on				7610-1302						76-4002		
Honda	CL77, 305cc Scrambler	65-68										76-4008		70 52 11 436 0 sleeves required and need to be ordered separately. Use of larger OD springs may not be possible due to high exhaust system
Honda	CB350 / CJ350T	66-76				7610-1302	7610-1302SP8	7610-1302SP14		7610- 1302SP16		76-4002		
Honda	CB350F	73-75				7610-1302	7610-1302SP8	7610-1302SP14		7610- 1302SP16		76-4002		
Honda	CL350, Scambler	70-73				7610-1302	7610-1302SP8	7610-1302SP14		7610- 1302SP16		76-4002		

Honda	CBF600F/S	04-10				3610-1019							
Honda	CBR600F(PC31)	97-98				3610-1012							
Honda	CBR600F(PC25)	91-96				3610-1012							
Honda	CBR600F(PC19)	87-90				3610-1013							
Honda	CBR600F(PC35)	99-07											
Honda	CBR600RR (PC37)	03-06											
Honda	600 Silverwing	upto 11				7610-1656							
Honda	CB650/C	79-84				7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16	76-4001	7614-1296	
Honda	CBX650E Nighthawk	83-89				7610-1283SP4							
Honda	CX650C (RC11)	83 on				7610-1412							Check clearances
Honda	NX650	95				3610-1086							
Honda	TRX 680 ATV front	06-12											
Honda	TRX 680 ATV rear	06-12						7610-1665SP14					
Honda	CB700C Nighthawk	84-86											
Honda	VF700 Super Magna (RC21)	82-87				7610-1502							
Honda	Shadow, Shadow RS and Phantom, 745cc	12-15				7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP8	7610-1652SP17		285mm open length, Bushes: 16mm top, 10mm and 14mm bottom.
Honda	750 Nighthawk	91-03				7610-1512							
Honda	CB750C	81-84				7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16	76-4001	7614-1296	
Honda	CB750F	69-79				7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16	76-4001	7614-1296	
Honda	CB750K	69-80				7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16	76-4001	7614-1296	
Honda	CB750 F1/ F2	76-80				7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16	76-4001	7614-1296	
Honda	CB750 FA, FB, FC, FD	80-84				7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16	76-4004	7614-1413	
Honda	CB750KZ,	79-84				7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16	76-4004	7614-1413	
Honda	CB750F2 Seven Fifty	92-99				7610-1537	7610-1537SP8	7610-1537SP14		7610-1537SP16			
Honda	Shadow A.C.E. 750	98-03	7610-1901	+220-22/30/39	220-18/25/33	220-26/34/43	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16	76-3019	
Honda	Shadow Aero 750	2004					7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP16		Original unit 285mm open length.
Honda	Shadow Spirit 750	01-03					7610-1606	7610-1606SP8	7610-1606SP14		7610-1606SP16		
Honda	VF750C / Super Magna (RC09)	82-87					7610-1502						
Honda	VF750 (Super) Magna (RC28 - Shaftdrive)	88-93					7610-1526					76-3026	7610-1505 for heavier duty use. Eg loads over 90kg or 2 up riding more than 50% of the time
Honda	VF750 (Super) Magna (RC28 - Shaft drive) - Extra heavy duty	88-93					7610-1505						7610-1505 for heavier duty use. Eg loads over 90kg or 2 up riding more than 50% of the time
Honda	VF750C (RC43 - Chain drive) Magna	93-03	7610-1901	+220-22/30/39	220-18/25/33	220-26/34/43	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16	76-3019	
Honda	VT750 Shadow Aero	2004					7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP8	7610-1652SP17	285mm open length, Bushes: 16mm top, 10mm and 14mm bottom.

Honda	VT750 Shadow Spirit	03-06					7610-1606							OEM unit said to be 308mm
Honda	VT750C	83-85	7610-1901	+220-22/30/39	220-18/25/33	220-26/34/43	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16		76-3019	
Honda	VT750C / C2 / CD Shadow, ACE	97-03	7610-1901	+220-22/30/39	220-18/25/33	220-26/34/43	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16		76-3019	
Honda	VT750DC Black Widow	01-04					7610-1606	7610-1606SP8	7610-1606SP14		7610-1606SP16			
Honda	VT750 C4						7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP8	7610-1652SP17		285mm open length, Bushes: 16mm top, 10mm and 14mm bottom.
Honda	VT750 C2 Fuel njected.	07-14					7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP8	7610-1652SP17		285mm open length, Bushes: 16mm top, 10mm and 14mm bottom.
Honda	VT750S	10-13	7610-1901	+220-22/30/39	220-18/25/33	220-26/34/43	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16	7610-1504SP17	76-3019	Original units have an appearance approximated by our 7610-SP17
Honda	XLV750	85-86					3610-1040							
Honda	PC800 Pacific Coast	89-98					7610-1422	7610-1422SP8	7610-1422SP14		7610-1422SP16		76-3014	
Honda	CB900 inc Bol d'Or	79-84					7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		76-4004	7614-1413
Honda	CB900 Hornet, SC48	02-08					3610-1075							
Honda	CBX1000 (twin shock models)	78-81					7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		76-4004	7614-1413
Honda	CBX1000 (Mono shock models)	81 on					3610-1107							Pre-load adjuster on piston rod mounting (ie lower mounting)
Honda	CB1000 Big1 SC30	92-98	7610-1909	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16		76-3025	normal loads
Honda	CB1000 Big1 SC30	92-98					7610-1600	7610-1600SP8	7610-1600SP14		7610-1600SP16		76-3034	heavier loads
Honda	GL1000 Gold Wing	75-81					7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16		76-4001	7614-1296
Honda	VTR1000	98					3610-1034							
Honda	CB1100R	81-84					7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		76-4004	7614-1413
Honda	CB1100F	82-85					7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		76-4004	7614-1413
Honda	CB1100	10-18	7610-1905	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16		76-3021	7614-1507, 3214-1507
Honda	CBR1100XX (SC35)	96-08					3610-1101							
Honda	GL1100DX	80-84					7610-1434							
Honda	GL1100 Gold Wing	80-84					7610-1434							
Honda	GL1100STD	80-84					7610-1434							
Honda	Shadow Aero 1100	98-02					tbd							
Honda	V65 Magna (1100cc)	83-86	7610-1905	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16		76-3021	7614-1507
Honda	ST1100	90-03					3610-1010							For Police bike models bottom boltis 14mm. Special bottom mounting pieces need to be ordered separately. Shock to be fitted upside down if top clearance is a problem.
Honda	VF1100C	83-86	7610-1905	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16		76-3021	7614-1507
Honda	VT1100C Shadow (1086cc USA version)	85-88					7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16		76-3019	

Honda	VT1100C Shadow (1099cc)	89-95					7610-1533	7610-1533SP8						
Honda	VT1100C Shadow A.C.E. / Spirit / Sabre- NOT Aero models	95-06					7610-1533	7610-1533SP8						
Honda	VT1100 Aero, 315mm open length	1998												
Honda	GL1200	84-87					7610-1659							For heavier applications special version required with 515 springs
Honda	CB1300, CB1300 Super Four, Super Bol D'or, Super Touring	03-14	7610-1905	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1507	7610-1507SP8	7610-1507SP14	7610-1507SP16	7610-1507SP17	76-3021	7614-1507, 3214-1507	Bushes 14mm x 20mm top, 10mm x 20mm bottom.
Honda	ST1300	03-					3610-1082							
Honda	VTX1300S Retro (USA only)	2003					7610-1533	7610-1533SP8						lowers bike approx. 13mm
Honda	VTX1300	02-08					7610-1642	7610-1642SP8						
Honda	GL1500 Goldwing	88-00												345mm long shock, 607 or 515 spring, 110 bush top and 108 bush bottom. Some may have 14 mm top. In which case add 736 sleeves. Some top mounts may be 25mm wide. Supply 4 x washers drilled to 16mm ID. Work with 7610-1318. The original set upon this bike had an air shock on one side and a steel sprung shock on the other. Using Ikon's on these models removes the air adjustability.
Honda	GL1500(F6C) C/D/T, Valkyrie, ValkyrieTourer	96-03					7610-1542	7610-1542SP8	7610-1542SP14	7610-1542SP16		76-3032	7614-1542	
Honda	GL1500CF Valkyrie Interstate	99-01					7610-1542	7610-1542SP8	7610-1542SP14	7610-1542SP16		76-3032	7614-1542	
Honda	VTX1800C, N, R, S, T	02-04					7610-1605	7610-1605SP8						
Honda	VTX1800C, F	05-08					7610-1605	7610-1605SP8						CHECK TOP MOUNTING BOLT DIAMETER. May require 26 x 19mm bronze bush.
Hyosung	GT250	03-12					3610-1077							
Hyosung	Aquila GV250	05-12	7610-1901	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8	7610-1511SP14	7610-1511SP16		76-3022		OE shock 320mm long, 12mm bolts. 4x70 52 11 427 0 sleeves to be ordered separately
Hyosung	GT650S	03-12					3610-1031							
Hyosung	Aquila GV650	05-15					7610-1634	7610-1634SP8	7610-1634SP14	7610-1634SP16		76-3041		
Hyosung	Aquila GV700 ST7	05-15					7610-1634	7610-1634SP8	7610-1634SP14	7610-1634SP16		76-3041		
Indian	Scout (292mm / 11.50" shocks)	14-24					7610-1674	7610-1674SP8	7610-1674SP14	7610-1674SP16	7610-1674SP17		7614-1674	
Indian	Scout Bobber (281mm / 11.0" shocks)	18-24					7610-1686	7610-1686SP8	7610-1686SP14	7610-1686SP16	7610-1686SP17		7614-1686	
Indian	Scout Bobber Sixty (281mm / 11.0" shocks)	20-24					7610-1686	7610-1686SP8	7610-1686SP14	7610-1686SP16	7610-1686SP17		7614-1686	
Indian	Scout Bobber Twenty (281mm / 11.0" shocks)	20-24					7610-1686	7610-1686SP8	7610-1686SP14	7610-1686SP16	7610-1686SP17		7614-1686	

Indian	Scout Sixty (292mm / 11.50" shocks)	16-21				7610-1674	7610-1674SP8	7610-1674SP14		7610-1674SP16	7610-1674SP17		7614-1674	
Jawa	250	75-90				7610-1250SP5						76-3001		
Jawa	350 Blue Style / TS	75-94				7610-1250SP5						76-3001		
Jawa	500	75-90				7610-1250SP5						76-3001		
Kawasaki	KX60	98-04											7613-1004	mini bike mono shock
Kawasaki	Mach III H1 / H1A-H1F(500cc)	69-75				7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
Kawasaki	S-1/ S-2 / S-3 / H-2 / H2B	72-75	7610-1906	+220-15/21/26		220-18/25/33	7610-1348SP1					76-3010		2 x 70 52 11 427 0 per pair required. Applies to all options
Kawasaki	S-1 / S-2 / S-3 / H-2 / H2B - heavier springs for general use.	72-75	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	2 x 70 52 11 427 0 per pair required. Applies to all options
Kawasaki	Eliminator125 / EL125 Elim. (BN125A1-6)	97-04					tbc							
Kawasaki	Z200	77-81					7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Kawasaki	A1 250	67-71					7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Kawasaki	BR250	86					7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006	
Kawasaki	Estrella,EstrellaRS(250cc) (BJ250)	92-02					7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006	
Kawasaki	Estrella Custom (250cc) / 250TR	00-02					7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006	
Kawasaki	EL250,EL250 Eliminator	88-95					7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006	
Kawasaki	Eliminator 250(EL250), VN250	96-04					7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006	
Kawasaki	KH250	76-79					7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Kawasaki	KL250 Stockman	08-18					3610-1052							
Kawasaki	Z250	79-83	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	see entry below also
Kawasaki	Z250	83-85					7610-1429SP1						76-3017	has off-set bottom eye (& is a little longer)
Kawasaki	Z250LTD	80-81					7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Kawasaki	Z250LTD	82-84					7610-1429SP1						76-3017	
Kawasaki	ZL250 Eliminator	87-98					7610-1525*	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		*to be confirmed
Kawasaki	ZX2R						36-1004							
Kawasaki	EL252, EL252 Eliminator	96-03					7610-1525*	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		*to be confirmed
Kawasaki	305LTD	87-89	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	Z305 CSR	84-88	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	A7 350	67-71					7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Kawasaki	KH400	76-79					7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Kawasaki	Z400	76-80	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	

Kawasaki	Z400G	81-84					7610-1429SP1					76-3017		
Kawasaki	Z400J	80-85					7610-1343SP1							
Kawasaki	Z400	85-88	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	Z400LTD	81-84					7610-1429SP1						76-3017	
Kawasaki	Zephyr 400	91-95					7610-1343SP1*							*to be confirmed
Kawasaki	Zephyr X(400cc)	96-03					tbd							
Kawasaki	Z440	80-81	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	Z440LTD	80-81	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	Z440LTD	82-84					7610-1429SP1						76-3017	
Kawasaki	Z440LTD	85-88	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	Z440Twin	82-84					7610-1429SP1						76-3017	
Kawasaki	Z440Twin	85-88	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	Z450LTD,LTD450(EN450A1-A5)	85-89	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	454 LTD	84-90	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	Mach III H1/ H1A-H1F (500cc)	69-75					7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Kawasaki	ER-5 (500cc) (ER500 A1-A4)	97-00	7610-1900	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1551						76-3033	
Kawasaki	ER-5 (500cc) (ER500 C1-C4)	01-05	7610-1909	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17	76-3025	
Kawasaki	EN500 Vulcan	90-95					7610-1307						76-3006	standard height, standard shock
Kawasaki	EN500 Vulcan	90-95					7610-1530	7610-1530SP8						lowers bike approx. 25mm, chrome shock
Kawasaki	EN500 Vulcan (C1-C8), Vulcan 500 LTD	96-04	7610-1900	+ 220-22/30/39	220-18/25/33	220-26/34/43	7610-1506	7610-1506SP8	7610-1506SP14		7610-1506SP16	7610-1506SP17	76-3020	
Kawasaki	KH500	76-79					7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Kawasaki	Z500	79-85					7610-1343SP1							
Kawasaki	GT550 (Z550G)	82-89	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	
Kawasaki	GT550 (Z550G)	90-01	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348*	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	*to be confirmed
Kawasaki	Z550LTD	80-84					7610-1429SP1						76-3017	
Kawasaki	Z550 (GP)	80-85					7610-1343SP1							
Kawasaki	Zephyr 550 (ZR550 B2 - B8)	91-99	7610-1909	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17	76-3025	
Kawasaki	ZL600	86-89					7610-1429SP1						76-3017	
Kawasaki	ZL600 Eliminator, Eliminator 600	95-97	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	standard height, standard shock
Kawasaki	ZL600 Eliminator, Eliminator 600	95-97	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	standard height, chrome shock
Kawasaki	ZL600 Eliminator, Eliminator 600	95-97					7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17		lowers bike approx. 35mm, chrome shock
Kawasaki	ZZR 600 (ZX6)	93-99					3610-1001							
Kawasaki	KLR650 - Tengai - 393mm long shock	98					3610-1070							

Kawasaki	KLR650 - 404mm long shock	87-12					3610-1039							
Kawasaki	KLX650						3610-1051							
Kawasaki	SR650	80-84					7610-1429SP1					76-3017		
Kawasaki	W650 (EJ650)	99-19	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1603	7610-1603SP8	7610-1603SP14		7610-1603SP16	7610-1603SP17	76-3036		
Kawasaki	W650	99-19				7610-1628	7610-1628SP8	7610-1628SP14		7610-1628SP16	7610-1628SP17			273mm unit for Japanese lowered applications.
Kawasaki	Z650 B, C, D and SR	76-81	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009		
Kawasaki	Z650 E, F / SP, H	80-84				7610-1429SP1						76-3017		
Kawasaki	GT750 (Z750 P1-P9)	82-96	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009		
Kawasaki	VN750 Vulcan, Vulcan750	85-04	7610-1901 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17	76-3022		
Kawasaki	Z750 (2 cylinder)	76-80	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009		
Kawasaki	Z750	80-87				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016		
Kawasaki	Z750 E/L	80-85				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016		
Kawasaki	Z750 LTD	80-86				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016		
Kawasaki	Z750GP (R)	82-86				7610-1343SP1								
Kawasaki	Z750 Spectre, KZ750 N1 / N2 Spectre	82-83	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009		
Kawasaki	Z750 Sport	82-88				7610-1343SP1								
Kawasaki	Z750 L4	85-87				7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17	76-3050		
Kawasaki	Zephyr 750 (ZR750)	91-99	7610-1909 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17	76-3025		
Kawasaki	Zephyr 750 (Japan)	97-03	7610-1909 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1523*	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17	76-3025		*to be confirmed
Kawasaki	W800	11-18	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1603	7610-1603SP8	7610-1603SP14		7610-1603SP16	7610-1603SP17	76-3036	7614-1603	
Kawasaki	W800 Cafe & Street	19-22	7610-1901 + 220-18/25/33	220-15/21/26	220-22/30/39	7610-1901 + 220-18/25/33							7614-1901 +220-18/25/33	
Kawasaki	Z900 (Z1)	73-76				7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17	76-3050		
Kawasaki	900 LTD	76-80				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016		337mm open. Stock length 343mm
Kawasaki	Z900 Eliminator	87-88				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016		
Kawasaki	ZL900 Eliminator	85-86				7610-1429*	7610-1429SP8*	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016		*to be confirmed
Kawasaki	ZL900	87-89				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016		
Kawasaki	GTR1000	86-99				3610-1091								
Kawasaki	ZL1000, ZL1000 Eliminator	87-89				7610-1429	7610-1429SP8					76-3016		OEM 340mm
Kawasaki	Z1000 all models inc Z1R	77-86				7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17	76-3050		
Kawasaki	Z1100 except LTD and Spectre	80-86				7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17	76-3050		

Kawasaki	GPZ1100 (ZX1100A1)	80-86				7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17	76-3050	
Kawasaki	GPZ1100 (ZX10E)	94-98				3610-1011							
Kawasaki	Z1100 LTD	83-84				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016	
Kawasaki	Z1100 Spectre	82-87				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016	
Kawasaki	Zephyr 1100 (ZR1100)	92-97	7610-1909 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17	76-3025	normal loads
Kawasaki	Zephyr 1100 (ZR1100)	92-97				7610-1600						76-3034	heavier loads (cases etc.)
Kawasaki	Zephyr 1100 (Japan)	97-03	7610-1909 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1523*	7610-1523SP8*	7610-1523SP14		7610-1523SP16	7610-1523SP17	76-3025	normal loads *to be confirmed
Kawasaki	Zephyr 1100 (Japan)	97-03				7610-1600*						76-3034	heavier loads (cases etc.) *tbc
Kawasaki	ZRX1100 (ZR1100 C1-C4)	97-00				7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16	7610-1507SP17	76-3021	7614-1507, 3214-1507
Kawasaki	ZZR1100 C models	90-92				3610-1089							
Kawasaki	ZZR1100 D models	92-01				3610-1085							
Kawasaki	ZRX1200, ZRX1200R/S (ZR1200A/B)	01-08				7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16	7610-1507SP17	76-3021	7614-1507, 3214-1507
Kawasaki	Z1300	78-89				7610-1422	7610-1422SP8	7610-1422SP14		7610-1422SP16	7610-1422SP17	76-3014	
Kawasaki	ZN1300 Voyager	1983				7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17	76-3032	
Kawasaki	VN1500 (Vulcan 88, 1500L, VN15/SE)	88-98				7610-1434	7610-1434SP8						standard height
Kawasaki	VN1500 (Vulcan 88, 1500L, VN15/SE)	88-98				7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17		lowers bike approx. 25mm
Kawasaki	VN1500 Vulcan Classic, incl. Fi	96-08				7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17	76-3032	
Kawasaki	VN1500 Vulcan Classic Tourer, incl. Fi	98-04				7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17	76-3032	
Kawasaki	VN1500 Vulcan Drifter, incl. Fi and Interstate	99-04				7610-1654	7610-1654SP8	7610-1654SP14		7610-1654SP16	7610-1654SP17		330mm shock, mounts 14 x 20mm.
Kawasaki	VN1500 Vulcan Nomad, incl. Fi	98-04				7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17	76-3032	
Kawasaki	VN1500 Mean Streak	02-04				7610-1643	7610-1643SP8	7610-1643SP14		7610-1643SP16	7610-1643SP17		340mm shock. OEM Top mtg 14mm roller bearing, bottom mtg 14mm bush. 28mm wide top and 20mm wide bottom. 70 10 08 061 0 x 4
Kawasaki	VN1600 Vulcan Classic	03-07				7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17	76-3032	12.75" shock believed to be OE length. Say 324mm.
Kawasaki	VN1600 Vulcan Classic	08-				7610-1542 tbc	7610-1542SP8 tbc	7610-1542SP14 tbc		7610-1542SP16 tbc	7610-1542SP17 tbc	76-3032	322mm shock, may need 611 spring and 70 10 08 061 0 (x2 per shock)
Kawasaki	VN1600 Mean Streak	2004-08				7610-1643	7610-1643SP8	7610-1643SP14		7610-1643SP16	7610-1643SP17		340mm shock. OEM Top mtg is a 14mm roller bearing, bottom mtg 14mm bush.
Kawasaki	VN1600 Nomad	05-08				7610-1654	7610-1654SP8	7610-1654SP14		7610-1654SP16	7610-1654SP17		
Kawasaki	VN1700 Voyager	2009				7610-1663	7610-1663SP8	7610-1663SP14		7610-1663SP16	7610-1663SP17		355mm shock. OEM top mtg is a 14mm roller bearing, bottom mtg 14mm bush.

Kawasaki	VN1700 Vulcan Nomad	2011				7610-1663	7610-1663SP8	7610-1663SP14		7610-1663SP16	7610-1663SP17			355mm shock. OEM top mtg is a 14mm roller bearing, bottom mtg 14mm bush.
Kawasaki	VN2000					3610-1093								single shock model.
Kymco	Dink											7610-1613		
Laverda	350 and 500	79-85	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10							76-3003	
Laverda	750 all models	70-80				7610-1318							76-3007	
Laverda	1000 3C	73				7610-1397		7610-1397SP14					76-3011	7614-1397
Laverda	1000/1000 RGS	76-89				7610-1397		7610-1397SP14					76-3011	7614-1397
Laverda	1200 all models	76-89				7610-1397		7610-1397SP14					76-3011	7614-1397
Laverda	Jota												7614-2006	
Maico	MD250WK	79-83				7610-1283 + 250-15/21/26								
Matchless	Jampot conversion shock / insert					76-1706								fits into original shock absorber housing using original spring and cover hardware
Matchless	G50					7610-1657SP14								Re-use original lower screw on mounting
Moto Guzzi	V35(I), V35II, V35III, Imola I	78-88				7610-1410								
Moto Guzzi	V35 Custom	82-85				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16			76-3016	
Moto Guzzi	V35 Imola II	84-85				7610-1429SP1							76-3017	
Moto Guzzi	V40	78-84				7610-1410								
Moto Guzzi	V50, V50II, V50III	78-84				7610-1410								
Moto Guzzi	V50 Custom	82-84				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16			76-3016	
Moto Guzzi	V50 Monza II	84-85				7610-1429SP1							76-3017	
Moto Guzzi	V65 / V65 Sport	82-84				7610-1297	7610-1297SP8	7610-1297SP14		7610-1429SP16			76-3004	
Moto Guzzi	V65 Custom	83-86				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16			76-3016	
Moto Guzzi	V65 Florida	84-87				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16			76-3016	
Moto Guzzi	V65 Florida	92-94				7610-1282SP3								
Moto Guzzi	V65 Lario	84-87				7610-1429SP1							76-3017	
Moto Guzzi	Breva (750cc) all models	03-13				7610-1623	7610-1623SP8	7610-1623SP14		7610-1623SP16			7614-2003, 3214-2003	
Moto Guzzi	Breva 850	06-												
Moto Guzzi	Breva 1100	05-10				3610-1030								

Moto Guzzi	Breva 1200 4v	10												
Moto Guzzi	Nevada 750	93-97				7610-1625								For models which do not have the centre stand kit handle fitted. This handle is a bolt on item and can be easily removed. It can also be altered to allow the larger diameter of the spring to pass it. If this is not desired a special extended top mounting version can be made at extra cost. 397mm open, 14mm x 20mm bushes (70 52 25 108 0), no need for spaced top eye, 217springs.
Moto Guzzi	Nevada 750 Club	98-01				7610-1607	7610-1500SP8							
Moto Guzzi	Nevada 750 Club	02-04				7610-1607 7610-1422					76-3014			Lighter spring option - solo use
Moto Guzzi	Nevada 750 Classic IE	05-09										7614-2004		370mm long shock with top eye extension
Moto Guzzi	Nevada 750 including Anniversary model	10-16										7614-2004		370mm long shock with top eye extension
Moto Guzzi	V7, V7 Sport and Special (750 & 850cc), Ambassador, Eldorado	72-91				7610-1297	7610-1297SP8	7610-1297SP14			7610-1297SP16	76-3004	7614-1297	
Moto Guzzi	V7 Cafe	09-11				7610-1623	7610-1623SP8	7610-1623SP14			7610-1623SP16		7614-2003	
Moto Guzzi	V7 Classic	08-12				7610-1623	7610-1623SP8	7610-1623SP14			7610-1623SP16		7614-2003	
Moto Guzzi	V7 Special & Stone	12-14				7610-1623	7610-1623SP8	7610-1623SP14			7610-1623SP16		7614-2003	
Moto Guzzi	V7 II all models	14-16				7610-1623	7610-1623SP8	7610-1623SP14			7610-1623SP16		7614-2003	
Moto Guzzi	V7 III Anniversario	17-20				7610-1687	7610-1687SP8	7610-1687SP14			7610-1687SP16		7614-1687	
Moto Guzzi	V7 III Racer	17-20				7610-1687	7610-1687SP8	7610-1687SP14			7610-1687SP16		7614-1687	
Moto Guzzi	V7 III Special	17-20				7610-1687	7610-1687SP8	7610-1687SP14			7610-1687SP16		7614-1687	
Moto Guzzi	V7 III Stone	17-20				7610-1687	7610-1687SP8	7610-1687SP14			7610-1687SP16		7614-1687	
Moto Guzzi	V7 850	21-				7610-1690	7610-1690SP8	7610-1690SP14			7610-1690SP16		7614-1690	
Moto Guzzi	V9 850 Bobber	16-18				7610-1684		7610-1684SP14					7614-1684	
Moto Guzzi	V9 850 Roamer	16-18				7610-1684		7610-1684SP14					7614-1684	
Moto Guzzi	850 California, T3, T4, 850GT	76-83				7610-1297	7610-1297SP8	7610-1297SP14			7610-1297SP16	76-3004	7614-1297	
Moto Guzzi	850 California T5	83-88				7610-1429	7610-1429SP8	7610-1429SP14			7610-1429SP16	76-3016	7614-1297	
Moto Guzzi	Le Mans I and II (850cc), S3 (750)	75-81				7610-1297	7610-1297SP8	7610-1297SP14			7610-1297SP16	76-3004	7614-1297	
Moto Guzzi	Le Mans III (850cc)	81-84				7610-1429	7610-1429SP8	7610-1429SP14			7610-1429SP16	76-3016	7614-1429	

Moto Guzzi	Le Mans IV and V (1000cc)	84-94				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16		76-3016	7614-1429	
Moto Guzzi	1000 Le Mans	84-94				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16		76-3016	7614-1429	
Moto Guzzi	1000 California, California II	82-87				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16		76-3016	7614-1429	
Moto Guzzi	1000 California III / C I / IE	87-93				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16		76-3016	7614-1429	
Moto Guzzi	1000 G5 / Convert	72-84				7610-1297	7610-1297SP8	7610-1297SP14		7610-1297SP16		76-3004	7614-1297	
Moto Guzzi	1000 SP	72-84				7610-1297	7610-1297SP8	7610-1297SP14		7610-1297SP16		76-3004	7614-1297	
Moto Guzzi	1000 SPII / SPIII / S	84-94				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16		76-3016	7614-1429	
Moto Guzzi	1000 Mille GT	88-93				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16		76-3016	7614-1429	
Moto Guzzi	1000 Strada	92-94				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16		76-3016	7614-1429	
Moto Guzzi	1100 / 1100i California	93-98				7610-1529	7610-1529SP8	7610-1529SP14		7610-1529SP16		76-3028	7614-1529	
Moto Guzzi	California 75 limited edition	97-98				7610-1529	7610-1529SP8	7610-1529SP14		7610-1529SP16		76-3028	7614-1529	
Moto Guzzi	California EV(1100cc) with top mount cover panel	98-01				7610-1610	7610-1610SP8							340mm shock, Includes special extended top
Moto Guzzi	California Special / Bassa (USA)	99-00				7610-1610	7610-1610SP8							340mm shock, Includes special extended top
Moto Guzzi	California EV(1100cc) without top mount cover panel	98-01				7610-1529	7610-1529SP8	7610-1529SP14		7610-1529SP16		76-3028	7614-1529	
Moto Guzzi	California EV(1100cc) without top mount cover panel	02-05				7610-1607	7610-1500SP8							
Moto Guzzi	California EV(1100cc) with top mount cover panel	02-09				7610-1615	7610-1615SP8							360mm shock, Includes special extended top
Moto Guzzi	California EVT	02				7610-1615	7610-1615SP8							360mm shock, Includes special extended top
Moto Guzzi	California Classic	07				7610-1615	7610-1615SP8							360mm shock, Includes special extended top. Original shock absorber said to be 350mm long
Moto Guzzi	California Sport Special, Aluminium, Titanium	02-05				7610-1610	7610-1610SP8							340mm shock, Includes special extended top
Moto Guzzi	California Stone	01-05				7610-1529	7610-1529SP8	7610-1529SP14		7610-1529SP16		76-3028	7614-1529	
Moto Guzzi	California Stone Metal	02				7610-1529	7610-1529SP8	7610-1529SP14		7610-1529SP16		76-3028	7614-1529	
Moto Guzzi	California Stone Touring	03-05				7610-1529	7610-1529SP8	7610-1529SP14		7610-1529SP16		76-3028	7614-1529	
Moto Guzzi	California Vintage	05				7610-1607	7610-1500SP8							to be confirmed
Moto Guzzi	California 1400	13-15				7610-1667						76-3056	7614-1667	
Moto Guzzi	California Eldorado 1400	16-												OEM shock 351mm long.
Moto Guzzi	Griso, 850	06-07				3610-1028								

Moto Guzzi	Griso 1100	05-08					3610-1028							
Moto Guzzi	Griso 1200 8v	07-11					3610-1028							
Moto Guzzi	Norge 1200 8v	05-					3610-1029							
Moto Guzzi	V11 Jackel (1100cc)	99-01					7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16		76-3016	
Moto Guzzi	V11 Jackel (1100cc)	99-01					7610-1529	7610-1529SP8	7610-1529SP14		7610-1529SP16		76-3028	Heavier springs for regular two up or loaded riding.
Moto Guzzi	Falcone / Sahara	Upto 77					7610-1297	7610-1297SP8	7610-1297SP14		7610-1297SP16		76-3004	
Moto Guzzi	NTX650	87-90					7610-1422						76-3014	
Moto Morini	31/2	1977					7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16			
Moto Morini	500 Maestro	77 on												
MV Augusta	750S America	1976	7610-1902	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		76-3013	3214-1418, 7614-1418
MZ	ETZ250	77 on												350mm shock, 204 springs, top = ? bottom = 022 bush + 508 sleeves
MZ	500 Country, Fun, Star, Tour, Voyager, 500NR	93-99												355mm shock
Norton	Atlas (Slimline)	66 on					7610-1307						76-3006	requires 8mm sleeves for the lower mount which have to be ordered separately
Norton	Commando and Interstate	69-78					76-1373 7610-1653 7610-1653SP9	7610-1653SP8	7610-1653SP14				76-3044 76-3044SP9	7614-1653
Norton	Rotary	88-90					7610-1283*							*plus spring 235-15/21/26
Norton	Commander	88-94					7610-1283*							*plus spring 235-15/21/26
Norton	P11						7610-1630							
Piaggio	Beverly	03-07					7610-1629							
Royal Enfield	350 Classic	22-23					7610-							315mm original open length
Royal Enfield	350 Hunter	22-23					7610-1671		7610-1671SP14					
Royal Enfield	350 Meteor	22-23					7610-							315mm original open length
Royal Enfield	500 Bullet Classic, Electra,	95-20					7610-1307		7610-1307SP14				76-3006	300mm shock for Indian models.
Royal Enfield	500 Bullet fuel injected, B5,C5, E5,G5 and Electra X	00-21	7610-1901	+	220-18/25/33N	220-15/21/26N	220-22/30/39N	7610-1901+	220-18/25/33N					320mm OE shocks. MUST USE NARROW SERIES SPRINGS
Royal Enfield	500 / 535 Continental GT	13-17					7610-1671		7610-1671SP14					

Royal Enfield	Continental GT	17-	7610-1905 + 220-18/25/33N	220-15/21/26N	220-22/30/39N	7610-1905 + 220-18/25/33N								360mm OE shock length
Royal Enfield	Interceptor 650	17-	7610-1905 + 220-18/25/33N	220-15/21/26N	220-22/30/39N	7610-1905 + 220-18/25/33N								360mm OE shock length
Sachs	Roadster 650	00-				7610-1602SP1 + sleeves 70 52 11 367 0 to be ordered separately								
Sachs	Roadster 800	00-												
Sanglas	400Y	80-83				7610-1393								
Sanglas	500					7610-1393								
Suzuki	RE5 Rotary	75-77				7610-1394	7610-1394	7610-1394SP8	7610-1394SP14	7610-1394SP16	7610-1394SP17	76-4003		
Suzuki	TS50	80-83				7610-1525	7610-1525	7610-1525SP8	7610-1525SP14	7610-1525SP16	7610-1525SP17			
Suzuki	TS80	80-83				7610-1525	7610-1525	7610-1525SP8	7610-1525SP14	7610-1525SP16	7610-1525SP17			
Suzuki	A100													
Suzuki	GP125 / GT125	74-80				7610-1307	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP17	76-3006		
Suzuki	GZ125 Marauder	98-04				tbd	tbd							
Suzuki	VL125 Intruder	00-04				tbd	tbd							
Suzuki	GT185	74-80				7610-1307	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP17	76-3006		
Suzuki	AN200 Burgman	14-												
Suzuki	GT200 X5	74-81				7610-1307	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP17	76-3006		
Suzuki	GNX250E	82-86				7610-1250SP4	7610-1250SP4					76-3000		
Suzuki	GN250	87-97	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282*	7610-1282*					76-3003		*plus spring 235-15/21/26 (normal loads)
Suzuki	GN250	87-97	7610-1282 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1282*	7610-1282*							*plus spring 235-18/25/33 (heavier loads)
Suzuki	GSX250	80-85	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10	7610-1282SP10					76-3003		
Suzuki	GT250 incl. X7	74-81				7610-1307	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP17	76-3006		
Suzuki	GZ250 Marauder	99-04	7610-1901 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8					76-3022		plus 2 x 70 52 11 427 0 sleeves to be ordered separately
Suzuki	T250	70-73				7610-1307	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP17	76-3006		
Suzuki	TU250X Volty, Grass Tracker, BigBoy, ST	97-02	7610-1901 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1901*	7610-1901*							*plus spring 220-15/21/26
Suzuki	TU250X	14-18				7610-1669	7610-1669							
Suzuki	VL250 Intruder LC	00-04				tbd	tbd							
Suzuki	T350	70-73				7610-1307	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP16	76-3006	7614-1307	
Suzuki	GT380	74-79				7610-1307	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP16	76-3006	7614-1307	
Suzuki	AN400 Burgman K3, K4, K5													Monoshock
Suzuki	GN400 L / TD	80-83	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10	7610-1282SP10					76-3003		

Suzuki	GS400	77-79	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10	7610-1282SP10					76-3003		
Suzuki	GS400 L / T	80-85	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10	7610-1282SP10					76-3003		
Suzuki	GSX400S / L / E / F	77-89	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10	7610-1282SP10					76-3003		
Suzuki	GSX400 Inazuma	97-02						0	0	0	0		0	
Suzuki	GSX400 SS Katana	94on				7610-1641	7610-1641							355mm OEM shock with 10 x 20mm bushes
Suzuki	ST 400 Tempter	97-03	7610-1906 +220-18/25/33	235-11/16/22	235-18/25/33	7610-1348	7610-1348	7610-1348SP8	7610-1348SP14	7610-1348SP16	7610-1348SP16	76-3009	7610-1348SP17	
Suzuki	GS425E	77-80	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10	7610-1282SP10					76-3003		
Suzuki	GS450S / L / T	80-89	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10	7610-1282SP10					76-3003		
Suzuki	GS450E	89-90	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10	7610-1282SP10					76-3003		
Suzuki	GS500E / XE	78-83	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10	7610-1282SP10					76-3003		
Suzuki	GS500 E & K Models	89-10				3610-1002								
Suzuki	GT500	74-79				7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006		
Suzuki	T500	70-73				7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006		
Suzuki	GS550	1977				7610-1250SP4						76-3000		
Suzuki	GS550E / XE	78-83	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		
Suzuki	GS550L	80-82	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		
Suzuki	GS550M / EM Katana	81-84	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		
Suzuki	GT550	74-79				7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006		
Suzuki	GSF600 Bandit	95-99				3610-1023								
Suzuki	GSF600 Bandit	00-05				3610-1024								
Suzuki	GSX600F	88-97				3610-1061								
Suzuki	VS600 Intruder, incl. Minnesota	95-98	7610-1901 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17	76-3022		standard height
Suzuki	VS600 Intruder, incl. Minnesota	95-98				7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17			lowers bike approx. 20mm
Suzuki	DR650	1990				3610-1017								
Suzuki	DR650	95-10				3610-1027								
Suzuki	Burgman AN650 Scooter	03-18				7610-1609						76-4012		
Suzuki	DL650 V-Strom - WVB1	03-12				3610-1100								
Suzuki	DL650 V-Strom - WVC7	13-16												
Suzuki	DL650 V-Strom - WC70 and WC71	17												
Suzuki	GR650 Tempter and GR650 X	83-89				3610-1041								
Suzuki	GS650E / L	80-82	7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		
Suzuki	GS650GT / Katana	81-84				7610-1500						76-3018		
Suzuki	LS650 Savage	86-04				7610-1530	7610-1530SP8							

Suzuki	S40 650cc single	05-15				7610-1530	7610-1530SP8							
Suzuki	SV650	02-10				3610-								
Suzuki	VS700 Intruder	86-91	7610-1901 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17	76-3022		standard height
Suzuki	VS700 Intruder	86-91				7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17			lowers bike approx. 20mm
Suzuki	GT750	72-79				7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006		
Suzuki	GT750 Can also use.	72-79				7610-1673	7610-1673SP8	7610-1673SP14				76-3058		
Suzuki	GS750L / E	77-81				7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17	76-4003		
Suzuki	GSX750E / S Katana	79-83				7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17	76-4003		
Suzuki	GSX750 EFE, ESD, ESE, ESG	83-89				3610-1078								
Suzuki	GSX750	98-00				7610-1407						76-3012		
Suzuki	GSX750 Katana	85				3610-1059								
Suzuki	GSX750F	93-96				3610-1061								
Suzuki	GSXR750J & K	88-89				3610-1018								
Suzuki	VS750 Intruder	86-92	7610-1901 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17	76-3022		standard height
Suzuki	VS750 Intruder	86-92				7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17			lowers bike approx. 20mm
Suzuki	VL800 Volusia	2001												
Suzuki	VS800 Intruder, incl. Minnesota	92-04	7610-1901 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17	76-3022		standard height
Suzuki	VS800 Intruder, incl. Minnesota	92-04				7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17			lowers bike approx. 20mm
Suzuki	VX800	90-97				7610-1520								normal loads
Suzuki	VX800	90-97				7610-1600						76-3034		heavier loads (cases etc.)
Suzuki	VZ800 Marauder	97-04				7610-1541	7610-1541SP8	7610-1541SP14		7610-1541SP16	7610-1541SP17			
Suzuki	GS850L / G	77-88	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16	7610-1418SP17	76-3013	3214-1418	
Suzuki	GS1000 / E / H / L / S	78-82				7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17	76-4003		
Suzuki	GS1000 / G	79-88	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16	7610-1418SP17	76-3013	3214-1418	
Suzuki	GS1100L	81-82	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16	7610-1418SP17	76-3013	3214-1418	
Suzuki	GS1100E	80-83				7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17	76-4003		
Suzuki	GS1100GK	82-84	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16	7610-1418SP17	76-3013	3214-1418	
Suzuki	GS1100G	86-88	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16	7610-1418SP17	76-3013	3214-1418	
Suzuki	GSX1100EF / ES, GS1150ES	83-88				7610-1418 or 7610-1394						76-3013 or 76-4003		Twin shock models only. Are the mounts E/E or E/F
Suzuki	GSX1100 / L / S / ES / E	79-84				7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17	76-4003		
Suzuki	GSX1100 Katana / S Katana	81-85				7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17	76-4003		

Suzuki	GSF1200	97				3610-1116							
Suzuki	GSX1200 Inazuma	98-02	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	standard rate spring, standard shock
Suzuki	GSX1200 Inazuma	98-02	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	standard rate spring, chrome shock
Suzuki	GSX1200 Inazuma	98-02				7610-1407						76-3012	heavy duty spring rate, standard shock
Suzuki	GSX1400 K1, K2, K3, K4 Katana	01-08				7610-1636		7610-1636SP14					7614-1636, 3214-1636
Suzuki	VS1400GLP Intruder, incl. Minnesota	87-03				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016	standard height
Suzuki	VS1400GLP Intruder, incl. Minnesota	87-03				7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17		lowers bike approx. 40mm
Suzuki													
Suzuki	VZ1600 Marauder	2004				7610-1643	7610-1643SP8						
SWM	Silver Vase 440	18-				7610-1603							
SYM	Voyager 250					76-1703							345mm long shock, eye top fork bottom(18x8mm)
Triumph	500 Daytona / Trophy / Tiger T-100C ,T-100R	69-79	7610-1282 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1282SP6						76-3002	conventional use, for solo use see*
Triumph	650 Thunderbird 6T	69-79	7610-1282 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1282SP6						76-3002	conventional use, for solo use see*
Triumph	650 Thunderbird TR65	81-	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1250SP5 7610-1348						76-3001	Bush sizes on the bike are 24 x 9.5mm. Bushes with sleeves for 7610-1348 are 20 x 10mm. A washer should be fitted to accommodate the difference.
Triumph	650TR - 6C / TR - 6R - Tiger	69-79	7610-1282 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1282SP6						76-3002	conventional use, for solo use see*
Triumph	650T - 110	69-79	7610-1282 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1282SP6						76-3002	conventional use, for solo use see*
Triumph	650T - 120R / T - 120 Bonneville	69-79	7610-1282 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1282SP6						76-3002	conventional use, for solo use see*
Triumph	675 Street Triple	2015				3610-1099							
Triumph	750 Tiger TR7 V / T - 140V Bonneville	72 on	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1250SP5 7610-1348						76-3001	For models upto 1978 the spring may touch the chain guard. The guard can normally be safely moved to avoid this. From 1979 on the brake torque arm also will need spacing. Parts to do this are not included with the shock absorbers.
Triumph	750 Tiger TR7 V / T - 140V Bonneville - SOLO or LIGHTER USE option	72 on	7610-1250SP1 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1250SP4						76-3000	For models upto 1978 the spring may touch the chain guard. The guard can normally be safely moved to avoid this. From 1979 on the brake torque arm also will need spacing. Parts to do this are not included with the shock absorbers.

Triumph	750T - 150 Trident / V / T - 160V	69-79	7610-1282 + 235-18/25/33	235-15/21/26	235-22/30/39	7610-1282SP6						76-3002		conventional use, for solo use see*
Triumph	*for solo use only on these Triumph's use:		7610-1282 + 235-15/21/26	235-11/16/22	235-18/25/33	7610-1282SP10						76-3003		has lighter spring than the SP6
Triumph	Tiger Trail	82-83				7610-1283								+250-15/21/28
Triumph	900 Adventurer	96-01				3610-1047								
Triumph	Bonneville	00-08	7610-1908 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1602	7610-1602SP8	7610-1602SP14		7610-1602SP16	7610-1602SP17	76-3046	7614-1602, 3214-1602	OEM nr T2057980
Triumph	Bonneville -for lighter or solo use	00-08	7610-1908 +220-15/21/26		220-18/25/33	7610-1602SP1								OEM nr T2057980, 7610-1602SP1 has a lighter spring fitted for riders who are of lighter weight and or ride more than 50% of the time solo.
Triumph	Bonneville & Bonneville SE (Alloy wheel models)	09-15	7610-1902 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1647	7610-1647SP8	7610-1647SP14		7610-1647SP16	7610-1647SP17	76-3042	7614-1647, 3214-1647	
Triumph	Bonneville & Bonneville SE(Alloy wheel models)-for lighter or solo use	09-15	7610-1902 +220-15/21/26		220-18/25/33	7610-1648	7610-1648SP8	7610-1648SP14		7610-1648SP16	7610-1648SP17	76-3043	7614-1648, 3214-1648	Lighter rate spring option for lighter riders or riiding more than 50% of the time solo
Triumph	Bonneville T100 (790cc and 865cc)	02-15	7610-1908 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1602	7610-1602SP8	7610-1602SP14		7610-1602SP16	7610-1602SP17	76-3046	7614-1602, 3214-1602	OEM nr T2057980
Triumph	Bonneville T100 (790cc and 865cc)-for lighter or solo use	02-15	7610-1908 +220-15/21/26		220-18/25/33	7610-1602SP1								OEM nr T2057980, 7610-1602SP1 has a lighter spring fitted for riders who are of lighter weight and or ride more than 50% of the time solo.
Triumph	Bonneville T100	16-23	7610-1909 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1677	7610-1677SP8	7610-1677SP14		7610-1677SP16	7610-1677SP17		7614-1677	
Triumph	Bonneville Street Cup	16-	7610-1903 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1676	7610-1676SP8	7610-1676SP14		7610-1676SP16	7610-1676SP17	76-3057	7614-1676, 3214-1676	
Triumph	Bonneville 900 Street Twin	16-21	7610-1903 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1676	7610-1676SP8	7610-1676SP14		7610-1676SP16	7610-1676SP17	76-3057	7614-1676, 3214-1676	
Triumph	Bonneville T120 1200	16-22	7610-1903 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1676	7610-1676SP8	7610-1676SP14		7610-1676SP16	7610-1676SP17	76-3057	7614-1676, 3214-1676	
Triumph	Bonneville T120 Black 1200	22	7610-1909 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1677	7610-1677SP8	7610-1677SP14		7610-1677SP16	7610-1677SP17		7614-1677	
Triumph	Bonneville - Lowering shocks	00-15				7610-1633	7610-1633SP8	7610-1633SP14		7610-1633SP16	7610-1633SP17	76-3040	7614-1633	Lowers T100 models by approx 25mm, alloy wheel models by approx 15mm
Triumph	Bonneville America (790cc & 865cc)	02-16				7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17	76-3032	7614-1542	
Triumph	Bonneville USA	85-87												
Triumph	Daytona 750	91-93				3610-1053								
Triumph	Ltd Speed Triple 750	96				3610-1053								
Triumph	Trident 750	91-98				3610-1053								
Triumph	Daytona 900	92-96				3610-1063								
Triumph	Legend 900 SMTTC393	98-01				3610-1047								
Triumph	Sprint 900	93-98				3610-1053								
Triumph	Trident 900	91 on				3610-1053								
Triumph	Trophy 900	91 on				3610-1053								

Triumph	Speed Twin 900	19-22				7610-1683	7610-1683SP8	7610-1683SP14		7610-1683SP16	7610-1683SP17		7614-1683, 3214-1683
Triumph	Speed Twin 1200	19-22				7610-1683	7610-1683SP8	7610-1683SP14		7610-1683SP16	7610-1683SP17		7614-1683, 3214-1683
Triumph	Thunderbird 1600 (oe seat height 700mm)	09-15				7610-1650	7610-1650SP8	7610-1650SP14		7610-1650SP16	7610-1650SP17		
Triumph	Thunderbird Storm 1700 (oe seat heght 700mm), LT 1700.	11-19				7610-1688	7610-1688SP8	7610-1688SP14		7610-1688SP16	7610-1688SP17		
Triumph	Thunderbird Commander.	14-18				7610-1688	7610-1688SP8	7610-1688SP14		7610-1688SP16	7610-1688SP17		
Triumph	Tiger	04				3610-1074							
Triumph	Tiger 1050	07-10				3610-1109							
Triumph	Trophy, 1200	95-01				3610-1063							
Ural	Sidecar models with leading link front end. 5 shocks per bike including shock for sidecar wheel	00-22				7610-1664		7610-1664SP14					
Vespa	GTS 250 and 300 front	07-											
Vespa	GTS 250 and 300 rear	07-											
Victory	Highball	12				3610-1060							
Victory	Octane (released 2016)	2017				7610-1685							
Victory	Octane (released 2016) Raised approx 25mm	2017				7610-1686							
Vincent	HRD1000 Black Lightning 1000 series C, Black Shadow and Rapide					76-1239							This shock is used on front and rear.
Yamaha	125 Vino, YJ125V					7610-1614							Single shock scooter
Yamaha	SR125	97-03				tbd							
Yamaha	XV125 Virago	97-00				tbd							
Yamaha	XVS125 Drag Star, V Star	00-04				7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006	conventional spring
Yamaha	XVS125 Drag Star, V Star	00-04				7610-1506	7610-1506SP8					76-3020	has heavy duty chromed spring
Yamaha	Zuma 125 scooter	09				7610-1668							
Yamaha	TW200												
Yamaha	Majesty YP250 Scooter	97-01				76-1703							
Yamaha	Majesty YP250 P	02-				76-1703SP1							
Yamaha	FZX250 Zeal												330mm, 14mm holes. To be confirmed
Yamaha	RD250	73-80				7610-1525	7610-1525SP8						
Yamaha	SR250 SE	77-85				7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006	
Yamaha	SRV250	94-99				7610-1250SP2							320mm long 14mm bushes top and bottom, 230 spring
Yamaha	SRX 250	84				3610-1064							
Yamaha	X-Max 250	05-10				7610-1658							
Yamaha	XS250	77-81				7610-1525	7610-1525SP8						
Yamaha	XT250	83				3610-1092							

Yamaha	XV250 Virago / S	89-07				7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006		conventional spring
Yamaha	XV250 Virago / S	89-07				7610-1506	7610-1506SP8					76-3020		has heavy duty chromed spring
Yamaha	Virago 250 (USA)	2004				7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006		conventional spring
Yamaha	Virago 250 (USA)	2004				7610-1506	7610-1506SP8					76-3020		has heavy duty chromed spring
Yamaha	XVS250 Drag Star, V Star	00-04				7610-1307	7610-1307SP8	7610-1307SP16				76-3006		conventional spring
Yamaha	XVS250 Drag Star, V Star	00-04				7610-1506	7610-1506SP8					76-3020		has heavy duty chromed spring
Yamaha	XC300					7610-1655								
Yamaha	RD350	73-78				7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
Yamaha	XS360	77-81				7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
Yamaha	Majesty YP400 Scooter	04-07				7610-1608								
Yamaha	RD400	78-80				7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17	76-3052 76-3059		76-3059 has an off set lower mount for bike where chain guard clearance might be an issue. 76-3052 has the lower mounting centrally located. The lower spring seat on both part numbers being 80mm up from the centre of the lower mounting. Check that this is sufficient before ordering.
Yamaha	SR400	78-19				76-1472, 7610-1348 - Japan only, 7610-1525 - Japan only solo use						76-3009		
Yamaha	XJ400	80-85	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009		
Yamaha	XJR400/R	93-95				7610-1525	7610-1525SP8							
Yamaha	XJR400/R	96-04	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348*	7610-1348SP8*	7610-1348SP14*		7610-1348SP16*	7610-1348SP17*	76-3009		standard (black spring) *to be confirmed
Yamaha	XJR400/R	96-04	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348*	7610-1348SP8*	7610-1348SP14*		7610-1348SP16*	7610-1348SP17*	76-3009		SP8 (chromed spring & dust cover) *tbc
Yamaha	X Max 400 scooter	13-14				7610-1666						76-4007		
Yamaha	XS400/SE	77-86	7610-1906 +220-15/21/26		220-18/25/33	7610-1348SP1								
Yamaha	XVS400 Drag Star, V Star	96-98				tbd								
Yamaha	SR500	78-04				76-1472								
Yamaha	TT500	76-81				76-1462							3214-2010	
Yamaha	XS500	75-77				7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
Yamaha	XT500	77-89				76-1462							3214-2010	
Yamaha	XV535 Virago / S	88-03				7610-1506	7610-1506SP8					76-3020		standard height
Yamaha	XV535 Virago / S	88-03				7610-1530	7610-1530SP8							lowers bike approx. 30mm,
Yamaha	XJ550	80-85	7610-1906 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8					76-3009		
Yamaha	SRX600	85-89				7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17	76-3006		
Yamaha	TT600	83-89				3610-1049								
Yamaha	XJ600 Radian	89-91	7610-1901 +220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17	76-3022		

Yamaha	XJ600 Diversion (Seca II)	91-99				3610-1015								
Yamaha	XT600	83-89				3610-1050								
Yamaha	XT600 E / K	90-99				3610-1033								
Yamaha	XTZ600 Tenere	85-90				3610-1050								
Yamaha	YX600 Radian	90-94	7610-1901	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17	76-3022	
Yamaha	XJ650 inc Maxim and Turbo	80-86					7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17	76-3012	
Yamaha	TX650	73-74	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	7614-1348
Yamaha	XS650 / SE	75-86	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	7614-1348
Yamaha	MT-07 / FZ-07	12-21					3610-1103							
Yamaha	XJ700 Maxim	80-					7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17	76-3032	7614-1542
Yamaha	XV700 Virago	85-97					7610-1506	7610-1506SP8					76-3020	
Yamaha	XV700 Virago	85-97					7610-1506	7610-1506SP8					76-3020	
Yamaha	XV700 Virago	85-97					7610-1530	7610-1530SP8						
Yamaha	750 DOHC	80-81					7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17	76-3012	
Yamaha	FZX750	87-94					7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17	76-3012	
Yamaha	TX750 A	72-76	7610-1901	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17	76-3022	
Yamaha	XS750 / SE	77-83					7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17	76-3012	
Yamaha	XJ750E / F	84-86					7610-1506	7610-1506SP8					76-3020	
Yamaha	XJ750 Seca	81-88					7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17	76-3012	
Yamaha	XV750 Virago	85-98					7610-1506	7610-1506SP8					76-3020	
Yamaha	XV750 Virago	85-98					7610-1530	7610-1530SP8						
Yamaha	XS850	78-83					7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17	76-3012	
Yamaha	XJ900S / F / N	83-94					7610-1506	7610-1506SP8					76-3020	
Yamaha	Bolt 942	13-18					7610-1670	7610-1670SP8	7610-1670SP14		7610-1670SP16	7610-1670SP17		7614-1670
Yamaha	SCR950 Scrambler	16-18												
Yamaha	XV1000 Virago	85-89					7610-1506	7610-1506SP8					76-3020	
Yamaha	XV1000 Virago	85-89					7610-1530	7610-1530SP8						
Yamaha	YZF1000R1						3610-1056							
Yamaha	XJ1100 Maxim													
Yamaha	XS1100 / S	78-84					7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17	76-3012	
Yamaha	XV1100 Virago	87-99					7610-1506	7610-1506SP8					76-3020	
Yamaha	XV1100 Virago	87-99					7610-1530	7610-1530SP8						
Yamaha	XVS1100	98-10					3610-1048							
Yamaha	XJR1200 / R	94-98	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17	76-3009	

Old Koni nr 7610-1515.

standard height, chrome shock

standard height, standard shock

lowers bike approx. 30mm, chrome shock

standard height

lowers bike approx. 30mm

standard height, standard shock, some US references go back to 1984

lowers bike approx. 30mm, chrome shock

standard height

lowers bike approx. 30mm

standard rate spring, standard shock

Yamaha	XJR1200 / R	94-98				7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17	76-3012		heavy duty spring rate, standard shock
Yamaha	VMax 1200, VMX 1200	85-04				7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17	76-3016		standard height
Yamaha	VMax 1200, VMX 1200	85-04				7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17			lowers bike approx. 35mm
Yamaha	XJR1300	98-10	7610-1906	+220-18/25/33	220-15/21/26	220-22/30/39	7610-1348	7610-1348SP8	7610-1348SP14	7610-1348SP16	7610-1348SP17	76-3009		325mm long shock + standard rate spring, can also use 330mm long shocks
Yamaha	XJR1300	98-10					7610-1407	7610-1407SP8	7610-1407SP14	7610-1407SP16	7610-1407SP17	76-3012		322mm long shock + 'heavy duty spring rate, can also use 330mm long shocks
Yamaha	XV1600A Road Star	99-10					3610-1058							
Zero	FXS	2016					3610-1104							
Zundapp	M50 / C50Super / C50Sport / GTS50 / GS50 / KS50 / K80 / KS80	72-84					76-1334							+spring220-11or215-14These items are special order items
Zundapp	KS-125 / KS-175	77-83					76-1334							+spring220-11or215-14These items are special order items